

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	170	(reticle\$3 or wafer\$3 or semiconductor\$3 or fabs\$5) and (carrier hous\$3) and (date time) and (identifier id) and ((number time\$3) with (retriev\$3 stor\$3)) and ((number time\$3) with clean\$3) and ((number time\$3) with (inspect\$3 check\$3 verif\$5)) and (@ad<"20000425")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 12:22
L4	33	(reticle\$3 or wafer\$3 or semiconductor\$3 or fabs\$5) and (carrier hous\$3) and (date time) and (identifier id) and ((number time\$3) with (retriev\$3 stor\$3)) and ((number time\$3) with clean\$3) and ((number time\$3) with (inspect\$3 check\$3 verif\$5)) and (@ad<"20000425") and (semiconduct\$5 with manufactur\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 12:22
S1	66	(reticle with database) and (@ad<"20000425")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/03 22:13
S2	0	(reticle with database) and (@ad<"20000425") and "707"/\$. ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/05/12 20:09
S3	1	((stocker with controller) same database same location) and (@ad<"20000425")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/05/12 20:11
S4	2	(stocker same database same location) and (@ad<"20000425")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/05/12 20:13
S5	208	(product with database with location) and (@ad<"20000425")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/05/12 20:32
S6	23	((product with database with location) and (@ad<"20000425")) and (reticle or semiconductor)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/08/08 12:12
S7	1	"20010047222"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/04 12:00
S8	3	"6188935".pn. or "6099598".pn. or "6078188".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/20 18:15
S9	1	("6188935".pn. or "6099598".pn. or "6078188".pn.) and reticle	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/20 18:15

S10	0	("6188935".pn. or "6099598".pn. or "6078188".pn.) and database	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/20 18:16
S11	159	(reticle\$2 near3 (database or table)) and (@ad<"20000425")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/20 18:21
S12	29	(reticle\$2 near3 database\$2) and (@ad<"20000425")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/21 13:53
S13	67	(reticle\$2 same stock\$5) and (@ad<"20000425")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/21 19:05
S14	0	(reticle\$2 same stock\$5) and (@ad<"20000425") and ((central or glob\$5) with database)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/21 19:05
S15	55	((central or center\$3 or glob\$3) near3 database) and (reticle\$2 or wafer\$3) and (@ad<"20000425")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/21 19:24
S16	84271	(reticle or semiconduct\$5 or wafer).ab. and (@ad<"20000425")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/01/18 20:54
S17	537	(reticle or semiconduct\$5 or wafer).ab. and ((central or center\$3 or glob\$3 or host) near3 (database or table or storage)) and (@ad<"20000425")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/06/11 16:24
S18	19	(reticle or semiconduct\$5 or wafer).ab. and ((central or center\$3 or glob\$3 or host) near3 (database or table or storage)) and stocker\$3 and (@ad<"20000425")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/11 16:51
S19	3	wafer with fabrication with data with acquisition with management	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/11 20:18
S20	218	wafer with data with management	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/11 17:29
S21	10	(wafer with data with management) and ((centra\$5 or host or global\$3) with database) and (@ad<"20000425")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 23:15

S22	2	((reticle with stocking with sorting with management) and ((centra\$5 or host or global\$3) with database) and (@ad<"20000425"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/11 18:06
S23	1070	((reticle or semiconduct\$5 or wafer or fab\$2) same database) and (@ad<"20000425")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/01/18 20:56
S24	545	((reticle or semiconduct\$5 or wafer or fab\$2) with database) and (@ad<"20000425")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/01/18 20:56
S25	30	((reticle or semiconduct\$5 or wafer or fab\$2) with (center or central or primary or mirror or replica\$9 or global) with database) and (@ad<"20000425")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/01/19 10:47
S27	98	pri.as.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/03 22:24
S28	147	((pri or brooks) with automation). as.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/03 23:13
S29	58278	(semiconduct\$5 with manufactur\$5) and (@ad<"20000425")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/03 23:13
S30	919	(reticle\$3 or wafer\$3 or semiconductor\$3 or fabs\$5) and ((centra\$5 or host or global\$3) with database) and (@ad<"20000425")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 12:17
S31	436	(stocker\$3 with (database or table)) and (@ad<"20000425")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 23:18
S32	4	S29 and S30 and S31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 12:16